

Support Portal | Registry Services

Knowledgebase > Tech > EPP messages > What does the EPP message look like that the EPP server sends if the domain expires or is deactivated?

What does the EPP message look like that the EPP server sends if the domain expires or is deactivated?

Agent - 2023-07-11 - EPP messages

When a domain becomes deactivated or expires, our EPP server sends messages to the responsible registrar (also known as the Sponsoring client), as demonstrated in the following examples.

Expired example:

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<epp xsi:schemaLocation="urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd"
xmlns="urn:ietf:params:xml:ns:epp-1.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<response>
<result code="1301">
<msg>Command completed successfully; ack to dequeue</msg>
</result>
<msgQ id="1160117" count="47">
<qDate>2020-04-22T04:01:37.0Z</qDate>
<msg lang="en">Domain expired</msg>
</msgQ>
<resData xmlns="urn:ietf:params:xml:ns:epp-1.0">
<iis:updateNotify xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2 iis-1.2.xsd"
xmlns:iis="urn:se:iis:xml:epp:iis-1.2"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<dom:infData xsi:schemaLocation="urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd"
xmlns:dom="urn:ietf:params:xml:ns:domain-1.0">
<dom:name>examples.nu</dom:name>
<dom:roid>DOMAIN_00000123456-NU</dom:roid>
<dom:status s="ok" />
<dom:registrant>abcdef1010-00001</dom:registrant>
<dom:contact type="tech">abcdef1010-00030</dom:contact>
<dom:contact type="billing">abcdef1010-00002</dom:contact>
<dom:contact type="admin">abcdef1010-00029</dom:contact>
<dom:ns>
<dom:hostObj>ns1.example.se</dom:hostObj>
<dom:hostObj>ns2.example.se</dom:hostObj>
</dom:ns>
<dom:clID>Foobar Corp</dom:clID>
```

```

<dom:crID>Foobar Corp</dom:crID>
<dom:crDate>1999-04-12T00:00:00.0Z</dom:crDate>
<dom:upID>CoreRegistry 2</dom:upID>
<dom:exDate>2020-04-12T00:00:00.0Z</dom:exDate>
</dom:infData>
</iis:updateNotify>
</resData>
<extension xmlns="urn:ietf:params:xml:ns:epp-1.0">
<iis:infData xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2 iis-1.2.xsd"
xmlns:iis="urn:se:iis:xml:epp:iis-1.2"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<iis:deactDate>2020-04-22T00:00:00.0Z</iis:deactDate>
<iis:state></iis:state>
<iis:clientDelete>0</iis:clientDelete>
</iis:infData>
</extension>
<trID>
<cITRID>epp344789:1587862781362.396</cITRID>
<svTRID>622062724</svTRID>
</trID>
</response>
</epp>

```

Deactivated example:

```

<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<epp xsi:schemaLocation="urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd"
xmlns="urn:ietf:params:xml:ns:epp-1.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<response>
<result code="1301">
<msg>Command completed successfully; ack to dequeue</msg>
</result>
<msgQ id="1160117" count="47">
<qDate>2020-04-22T04:01:37.0Z</qDate>
<msg lang="en">Domain deactivated</msg>
</msgQ>
<resData xmlns="urn:ietf:params:xml:ns:epp-1.0">
<iis:updateNotify xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2 iis-1.2.xsd"
xmlns:iis="urn:se:iis:xml:epp:iis-1.2"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<dom:infData xsi:schemaLocation="urn:ietf:params:xml:ns:domain-1.0 domain-1.0.xsd"
xmlns:dom="urn:ietf:params:xml:ns:domain-1.0">
<dom:name>examples.nu</dom:name>

```

```
<dom:roid>DOMAIN_00000123456-NU</dom:roid>
<dom:status s="serverHold" />
<dom:status s="PendingDelete" />
<dom:registrant>abcdef1010-00001</dom:registrant>
<dom:contact type="tech">abcdef1010-00030</dom:contact>
<dom:contact type="billing">abcdef1010-00002</dom:contact>
<dom:contact type="admin">abcdef1010-00029</dom:contact>
<dom:ns>
<dom:hostObj>ns1.example.se</dom:hostObj>
<dom:hostObj>ns2.example.se</dom:hostObj>
</dom:ns>
<dom:clID>Foobar Corp</dom:clID>
<dom:crID>Foobar Corp</dom:crID>
<dom:crDate>1999-04-12T00:00:00.0Z</dom:crDate>
<dom:upID>CoreRegistry 2</dom:upID>
<dom:exDate>2020-04-12T00:00:00.0Z</dom:exDate>
</dom:infData>
</iis:updateNotify>
</resData>
<extension xmlns="urn:ietf:params:xml:ns:epp-1.0">
<iis:infData xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2 iis-1.2.xsd"
xmlns:iis="urn:se:iis:xml:epp:iis-1.2"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<iis:deactDate>2020-04-22T00:00:00.0Z</iis:deactDate>
<iis:delDate>2020-06-21T00:00:00.0Z</iis:delDate>
<iis:relDate>2020-06-28T00:00:00.0Z</iis:relDate>
<iis:state></iis:state>
<iis:clientDelete>0</iis:clientDelete>
</iis:infData>
</extension>
<trID>
<clTRID>epp344789:1587862781362.396</clTRID>
<svTRID>622062724</svTRID>
</trID>
</response>
</epp>
```