Support Portal | Registry Services

What do the poll messages related to verification checks during new registrations look like?

Agent - 2024-12-10 - EPP messages

When a domain needs an extra verification check during new registration, the registrar receives a poll message, as shown in the example below:

<epp xmlns="urn:ietf:params:xml:ns:epp-1.0"
xmlns:xsi=http://www.w3.org/2001/XMLSchema-instance
xsi:schemaLocation="urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd">
<response>
<result code="1301">
<msg>Command completed successfully; ack to dequeue</msg>
</result>
<msgQ id="5" count="1">
<qDate>2024-08-16T09:05:54Z</qDate>
<msg lang="en">Registrant data needs verification</msg>
</msgQ>
<resData xmlns="urn:ietf:params:xml:ns:epp-1.0">
<iis:updateNotify xmlns:iis="urn:se:iis:xml:epp:iis-1.2" xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2
iis-1.2.xsd">
<dom:infData xmlns:dom="urn:ietf:params:xml:ns:domain-1.0"
xsi:schemaLocation="urn:ietf:params:xml:ns:domain-1.0
domain-1.0.xsd"><dom:name>domain4.se</dom:name>
<dom:roid>DOMAIN_0000050051-SE</dom:roid>
<dom:status s="serverTransferProhibited"/>
<dom:status s="serverRenewProhibited"/>
<dom:status s="serverHold"/>
<dom:registrant>contact-1</dom:registrant>
<dom:ns>
<dom:hostObj>host1.ns</dom:hostObj>
</dom:ns>
<dom:clID>Registrar X</dom:clID>
<dom:crID>Registrar X</dom:crID>
<dom:crDate>2024-08-16T00:00:00Z</dom:crDate>
<dom:upDate>2024-08-16T00:00:00Z</dom:upDate>
<dom:exDate>2025-08-16T00:00:00Z</dom:exDate>
</dom:infData>
</iis:updateNotify>
</resData>
<extension>
<iis:infData xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2 iis-1.2.xsd" xmlns:iis="urn:se:iis:xml:epp:iis-1.2">
<iis:state>0</iis:state>
<iis:clientDelete>0</iis:clientDelete>
</iis:infData>
</extension>
<trID>
<clTRID>ABC-123</clTRID>
<svTRID>e27d2a2e-765c-4a8b-88f8-ce5731673dab</svTRID>
</trID>
</response>
</epp>

When a domain that needs verification check has been updated with a new registrant ID, the registrar receives a poll message as shown in the example below:

<?xml version="1.0" encoding="UTF-8" standalone="no"?>

<epp xmlns="urn:ietf:params:xml:ns:epp-1.0"
xmlns:xsi=http://www.w3.org/2001/XMLSchema-instance
xsi:schemaLocation="urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd">
<response>
<result code="1301">
<msg>Command completed successfully; ack to dequeue</msg>
</result>
<msgQ id="4" count="1">
<qDate>2024-08-16T09:04:53Z</qDate>
<msg lang="en">Registrant verified - Domain active</msg>
</msgQ>
<resData xmlns="urn:ietf:params:xml:ns:epp-1.0">
<iis:updateNotify xmlns:iis="urn:se:iis:xml:epp:iis-1.2" xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2
iis-1.2.xsd">
<dom:infData xmlns:dom="urn:ietf:params:xml:ns:domain-1.0"
xsi:schemaLocation="urn:ietf:params:xml:ns:domain-1.0
domain-1.0.xsd"><dom:name>domain3.se</dom:name>
<dom:roid>DOMAIN_0000050051-SE</dom:roid>
<dom:status s="ok" />
<dom:registrant>contact-new</dom:registrant>
<dom:ns>
<dom:hostObj>host1.ns</dom:hostObj>
</dom:ns>
<dom:clID>Registrar X</dom:clID>
<dom:crID>Registrar X</dom:crID>
<dom:crDate>2024-08-16T00:00:00Z</dom:crDate>
<dom:upDate>2024-08-16T00:00:00Z</dom:upDate>
<dom:exDate>2025-08-16T00:00:00Z</dom:exDate>
</dom:infData>
</iis:updateNotify>
</resData>
<extension>
<iis:infData xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2 iis-1.2.xsd" xmlns:iis="urn:se:iis:xml:epp:iis-1.2">
<iis:state>0</iis:state>
<iis:clientDelete>0</iis:clientDelete>
</iis:infData>
</extension>
<trID>
<clTRID>ABC-123</clTRID>
<svTRID>ce97cc27-3c33-4f52-bf2c-a5932a4eb21a</svTRID>
</trID>
</response>
</epp>

When 'eID=false' is specified and a domain does not need a verification check during new registration, the registrar receives a poll message as shown in the example below:

<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<epp xmlns="urn:ietf:params:xml:ns:epp-1.0"
xmlns:xsi=http://www.w3.org/2001/XMLSchema-instance
xsi:schemaLocation="urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd">
<response>
<result code="1301">
<msg>Command completed successfully; ack to dequeue</msg>
</result>
<msgQ id="4" count="1">
<qDate>2024-08-16T09:04:53Z</qDate>
<msg lang="en">ServerHold removed - Domain active</msg>
</msgQ>
<resData xmlns="urn:ietf:params:xml:ns:epp-1.0">
<iis:updateNotify xmlns:iis="urn:se:iis:xml:epp:iis-1.2" xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2
iis-1.2.xsd">
<dom:infData xmlns:dom="urn:ietf:params:xml:ns:domain-1.0"
xsi:schemaLocation="urn:ietf:params:xml:ns:domain-1.0
domain-1.0.xsd"><dom:name>domain3.se</dom:name>
<dom:roid>DOMAIN_0000050050-SE</dom:roid>
<dom:status s="ok" />

<dom:registrant>contact-1</dom:registrant>
<dom:ns>
<dom:hostObj>host1.ns</dom:hostObj>
</dom:ns>
<dom:clID>Registrar X</dom:clID>
<dom:crID>Registrar X</dom:crID>
<dom:crDate>2024-08-16T00:00:00Z</dom:crDate>
<dom:upDate>2024-08-16T00:00:00Z</dom:upDate>
<dom:exDate>2025-08-16T00:00:00Z</dom:exDate>
</dom:infData>
</iis:updateNotify>
</resData>
<extension>
<iis:infData xsi:schemaLocation="urn:se:iis:xml:epp:iis-1.2 iis-1.2.xsd" xmlns:iis="urn:se:iis:xml:epp:iis-1.2">
<iis:state>0</iis:state>
<iis:clientDelete>0</iis:clientDelete>
</iis:infData>
</extension>
<trID>
<clTRID>ABC-123</clTRID>
<svTRID>ce97cc27-3c33-4f52-bf2c-a5932a4eb21a</svTRID>
</trID>
</response>
</epp>